



Rotsaert Planning Service

Step 1. Case Requirements

- Dicom
- STL's or Stone Models
- Diagnostic Wax Ups

Step 2. Clinical Information

Date of Submission:..... Surgical Date:

Dr. Name: Patient Name:

Address:.....

Tel: Email:.....

Which surgical kit do you have?.....

Preferred method of communication:

- text
- email
- dentalshare
- msoft viewer
- team viewer

Step 3. Areas of interest

Tooth Extraction Sites: Edentulous

Desired Implant Sites: Partially Edentulous

Step 4. Implant type used for case

IMPLANT SITE	IMPLANT TYPE	DIAMETER	LENGTH	PLATFORM

Step 5. Additional Indications

- Flapless Procedure
- Temporary Crown Required
- Raised Flap Procedure
- CustomHealing Cap Required
- Immediate Extraction

Step 6. Notes



Rotsaert

Dental Laboratory

71 Emerald Street South, Hamilton, Ontario, Canada L8N 2V4

Tel: 905-527-1422 • Toll Free: 1-800-263-2113 • Fax: 905-527-1048

Website: www.rotsaertdental.com • E-mail: implants@rotsaertdental.com

Rotsaert Restorative

Step 1. Information Sources

- Digital Files
- Stone Models
- Impressions
- Images

Send files to: implants@rotsaertdental.com

Step 2. Desired Abutment Type

- Material PMMA Style Screw Retained Shade:
- Zirconia Cemented
- PFM Multi Unit
- Emax

Step 3. Pontic Design Emergence Profile



Hygienic



Ridge Lap



Modified
Ridge Lap



Ovate



Concave



Convex

Step 4. Additional Notes:

.....

.....

.....

LAB USE ONLY Patient ID #

.....